Ibuprofen dosage chart for infants and children 11 years and younger

Ibuprofen	If possible, use weight to dose; otherwise, use age.							
mL = milliliter mg = milligram	 <6 mos	12-17 lbs 6-11 mos	18-23 lbs 12-23 mos	24-35 lbs 2-3 yrs	36-47 lbs 4-5 yrs	48-59 lbs 6-8 yrs	60-71 lbs 9-10 yrs	72-95 lb :
Infants' ibuprofen concentrated drops for example Concentrated Motrin° Infants' Drops 50 mg per 1.25 mL	Ask a healthcare professional	1.25 mL	1.875 mL	_	_	_	_	_
Children's ibuprofen liquid for example Children's Advil ^o Suspension 100 mg per 5 mL		Ask a healthcare professional		5 mL	7.5 mL	10 mL	12.5 mL	15 mL
Junior strength ibuprofen chewable tablets for example		, A	Ask a healthcare		→		001	
Junior Strength Advil* Chewables 100 mg per chewable tablet			professional			2 chewables	2½ chewables	3 chewable



You may repeat the dose every 6 to 8 hours while symptoms last

Do **NOT** give more than 4 doses in 24 hours


Talk to your child's healthcare professional before giving any other product containing an NSAID*



*Nonsteroidal anti-inflammatory drug

- What you can do · Always read and follow the medicine label.
 - Find the dose for your child's current weight. If you are not sure of your child's weight, use age. As children grow, their doses change over time.
 - Use only the dosing device that came with the medicine (syringe or dosing cup).
 - Wait the correct amount of time between doses. If you give another dose too soon, it could harm your child.

See acetaminophen dosage directions ▶



Get **Relief** Responsibly®



Burlington Pediatrics Mebane Pediatrics

By your side for a healthy future







These are examples of Ibuprofen